

# Basic Counting Principles Counting principle is all about choices we might make given many possibilities. It is used to find the number of possible outcomes. It provides a basis of computing probabilities of discrete events.

Basic Counting Principles

Some sample of counting problems:

Problem 1 - How many ways are there to seat *n* couples at a round table, such that each couple sits together?

Problem 2- How many ways are there to express a positive integer *n* as a sum of positive integers?

Basic Counting Principles

• Problem 3 - There are three boxes containing books. The first box contains 15 mathematics books by different authors, the second box contains 12 chemistry books by different authors, and the third box contains 10 computer science books by different authors. A student wants to take a book from one of the three boxes. In how many ways can the student do this?

Basic Counting Principles

Problem 4 - The department will award a free computer to either a CS student or a CS professor. How many different choices are there, if there are 530 students and 15 professors?

Problem 5 - A scholarship is available, and the student to receive this scholarship must be chosen from the Mathematics, Computer Science, or the Engineering Department. How many different choices are there for this student if there are 38 qualified students from the Mathematics Department, 45 qualified students from the Computer Science Department and 27 qualified students from the Engineering Department?

**OUTM** 

# **Basic Counting Principles**

- There are a number of basic principles that we can use to solve such problems:
  - 1) Addition Principle
  - 2) Multiplication Principle

www.utm.mv

#### **OUTM**

# **Addition Principle**

- Suppose that tasks  $T_1$ ,  $T_2$ ,...  $T_k$  can be done in  $n_1$ ,  $n_2$ ,...  $n_k$  ways, respectively.
- If all these tasks are independent of each other, then the number of ways to do one of these tasks is n<sub>1</sub>+ n<sub>2</sub> +....+ n<sub>k</sub>

www.utm.my

#### **OUTM**

## **Basic Counting Principles**

■ If a task can be done in  $n_1$  ways and a second task in  $n_2$  ways, and if these two tasks cannot be done at the same time, then there are  $n_1 + n_2$  ways to do either task.

www

#### **OUTM**

#### Example 1

We want to find the number of integers between 5 and 50 that end with 1 or 7.

#### Solution:

- Let T denote this task. We divide T into the following tasks.
  - $\succ T_1$ : find all integers between 5 and 50 that end with 1.
  - ➤ T₂: find all integers between 5 and 50 that end with 7.

www.utm.n

#### **OUTM**

- T<sub>1</sub>: find all integers between 5 and 50 that end with 1
  - →11, 21, 31, 41 => 4 ways
- T<sub>2</sub>: find all integers between 5 and 50 that end with 7
  - →7, 17, 27, 37, 47 => 5 ways
  - $n_1 + n_2 = 4 + 5 = 9$  ways.

10.

#### **OUTM**

# Example 2

We want to find the number of integers between 4 and 100 that end with 3 or 5.


#### Solution:


Let  ${\cal T}$  denote this task. We divide  ${\cal T}$  into the following tasks.


- $\succ T_1$ : find all integers between 4 and 100 that end with 3.
- > T<sub>2</sub>: find all integers between 4 and 100 that end with 5


innovative • entrepreneurial • global


www.utm.my














# Multiplication Principle

A task T can be completed in k successive steps.

Step 1 can be completed in  $n_1$  different ways.

**Step 2** can be completed in  $n_2$  different ways.

**Step** k can be completed in  $n_k$  different ways.

■ Then the task T can be completed in  $n_1 \cdot n_2 \cdot ... \cdot n_k$  different ways.

novative • entrepreneurial • global

ww.utm.m

# **OUTM**

Suppose that a procedure can be broken down into two successive tasks. If there are  $n_1$  ways to do the first task and  $n_2$  ways to do the second task after the first task has been done, then there are  $n_1n_2$  ways to do the procedure.

innovative • entrepreneurial • global

20

## **OUTM**

#### Example 4

• Morgan is a lead actor in a new movie. She needs to shoot a scene in the morning in studio A and an afternoon scene in studio C. She looks at the map and finds that there is no direct route from studio A to studio C. Studio B is located between studios A and C. Morgan's friends Brad and Jennifer are shooting a movie in studio B. There are three roads, say A<sub>1</sub>, A<sub>2</sub>, and A<sub>2</sub>, from studio A to studio B and four roads, say B<sub>1</sub>, B<sub>2</sub>, B<sub>3</sub>, and B<sub>4</sub>, from studio B to studio C. In how many ways can Morgan go from studio A to studio C and have lunch with Brad and Jennifer at Studio B?




FIGURE 7.1 Routes from studio A to studio C

ovative • entrepreneurial • global

# **OUTM**

• There are 3 ways to go from studio A to studio B and 4 ways to go from studio B to studio C.

≻T1 = 3

≻T2 = 4

 The number of ways to go from studio A to studio C via studio B is 3 × 4 = 12.

innovative • entres

www.utm.r

#### **OUTM**

# Example 5

- The letters A, B, C, D, and E are to be used to form strings of length 4.
- How many strings can be formed if we do not allow repetitions?
- For example:
  - BADE, ACBD, AEBC ..

innovative • entreoneneurial • globa

www.utm.mv


# **OUTM**


- $T_1$ : choose the first letter  $\rightarrow$  5 ways
- $T_2$ : choose the second letter  $\rightarrow$  4 ways
- $T_3$ : choose the third letter  $\rightarrow$  3 ways
- $T_4$ : choose the fourth letter  $\rightarrow$  2 ways
- There are 5.4.3.2= 120 strings.


innovative • entrepreneurial • glob

www.utm.m

# Example 6 The letters A, B, C, D, and E are to be used to form strings of length 4. How many strings can be formed if we allow repetitions? For example: – BABB, AABB, ACEE ...










Exercise


Danial, Kenny and Joseph are fighting over a turn to play a game that can only has 2 players at a time. In how many ways can we select 2 players at a time?


Diana, Sherry, Devi and Mary are going to DSI using a motorcycle. In how many ways can we select 2 peoples to ride the motorcycle?

















# Example 8

- How many 8-bit strings begin either 101 or 111?
  - <u>1 0 1</u> \_ \_ \_ \_ **→** 2. 2. 2. 2. 2 = 32
  - **■** <u>1</u> <u>1</u> <u>1</u> <u>1</u> \_ \_ \_ \_ **→** 2. 2. 2. 2. 2 = 32
  - **32 + 32 = 64**

transminated a stockat

# **OUTM**

# Example 9


- The following items are available for breakfast.
  - ▶4 types of cereal
  - ▶2 types of juice
  - ▶3 types of bread
- How many ways a breakfast can be prepared if exactly 2 items are selected from 2 different groups?

www.utm.my

#### **OUTM**

- A breakfast can be prepared in either of the following 3 ways:
  - ➤ A cereal & a juice
    - 4. 2 = 8
  - ➤A cereal & a bread
    - 4. 3 = 12
  - ➤ A juice & a bread
    - 2.3 = 6
  - ≻8+12+6=26 ways

ve • entrepreneurial • global



# **OUTM**

# Example 10

A six-person committee composed of Aina, Wan, Chan, Tan, Syed and Helmi is to be selected to hold as a chairperson, secretary, and treasurer.

- ■In how many ways can this be done?
- •In how many ways can this be done if either Aina or Wan must be chairperson?
- •In how many ways can this be done if Syed must hold one of the position?
- In how many ways can this be done if Tan and Helmi must hold any position?

innovative • entrepreneurial • glob

#### **OUTM**

# Example 10 - Solution

- In how many ways can this be done?
  - > Select the chairperson (6 ways)
  - > Select the secretary (5 ways)
  - > Select the treasurer (4 ways)
  - **>** 6. 5. 4 =120

innovative • entrepreneurial • slobal

www.utm.my

- In how many ways can this be done if either Aina or Wan must be chairperson?
  - ➤If Aina is chairperson 5. 4 =20
  - ➤If Wan is chairperson 5. 4 =20
  - **≥**20+20 =40

• OR

**OUTM** 

- ✓ Select the chairperson (2 ways)
  - ✓ Select the secretary (5 ways)
  - ✓ Select the treasurer (4 ways)
  - **√**2. 5. 4 =40

#### **OUTM**

- In how many ways can this be done if Syed must hold one of the position?
  - ➤ If Syed is chairperson 5. 4 = 20
  - ➤ If Syed is secretary 5. 4 = 20
  - ➤ If Syed is treasurer 5. 4 = 20
  - **>** 20+20+20 =60

tive • entrepreneurial • global www.c

#### **OUTM**

- OR
  - ➤ Assign Syed for any position is 3 ways
  - Fill the highest remaining position is 5 ways
  - Fill the last position is 4 ways
  - **>**3. 5. 4 =60

ntreormewial • slobal www.utm.m

# **OUTM**

- In how many ways can this be done if Tan and Helmi must hold any position?
  - ➤ Assign Tan 3 ways
  - ➤ Assign Helmi 2 ways
  - Fill the remaining position 4 ways
  - **>**3. 2. 4 =24

47

#### **OUTM**

#### Exercise

- How many eight-bit strings have either the second or the fourth bit 1(or both)?
- How many license plates of 2 letters from A to Z, followed by 3 digits from 0 to 9 can be made, if repetition of letters is not allowed?

innovative • entrepreneurial • globa

www.utm.n



# Exercise

• How many 5-digit telephone numbers can be constructed using digit 0-9 if each number starts with 67 and no digit appears more than once?

novative • entrepreneurial • global

www.utmu